

# SEYO SERIES (IEC Inlet Filters)



## Features


- The SEYO series filter integrates an IEC inlet and filter with excellent noise suppression performance and compact size.
- The rated current can be offered up to 15 amps.
- Offer in snap-in mounting type with optional vertical & horizontal version for saving labor cost.
- The choice of integrated earth line choke is also available.
- Low leakage current version upon requested.
- All parts are approved by UL, CSA, VDE, CQC and CE.
- Application for Electrical and electronic equipment, Single-phase power supplies, UPS, Medical equipment, Test and measurement equipment.
- Custom-specific versions are available on request.

## Technical Specification

Rated voltage	125/250VAC
Rated currents	1 to 15A
Operating frequency	50/60Hz
Hipot rating(Line-to-line)	1450VDC
Hipot rating(Line-to-ground)	2250VDC
Operating temperature	-25~+85°C
Safety compliance	1 to 10A(VDE, CQC) : 1 to 15A(UL, CSA, CE)

\*VDE except 8A

## Typical electrical schematic



\* With optional ground choke and resister.  
R: 1M ohm  
CL: 100  $\mu$  H


## Filter Selection Table

Part No.	Rated Current (A)	Inductance L(mH)	Capacitance CX( $\mu$ F)	Capacitance CY(pF)	Output connections
SEYO01T1	1				Fast-on terminal (optional lead-wire)
SEYO03T1	3				
SEYO06T1	6				
SEYO08T1	8				
SEYO10T1	10				
SEYO15T1	15				
SEYO01T3	1				Solder lug terminal
SEYO03T3	3				
SEYO06T3	6				
SEYO08T3	8				
SEYO10T3	10				
SEYO15T3	15				


\*Please contact us for other parts or spec.

Physical Dimensions: (mm)


SEYO-T1-BU




SEYO-T1-BR




SEYO-D (Lead wire)



SEYO-T3-BU




SEYO-T3-BR




Typical filter attenuation (Common mode — Normal mode —)


SEYO01




SEYO03




SEYO06



SEYO08



SEYO10



SEYO15

